

IN THE CLAIMS

The following listing of the claims will replace all prior listings of claims in the application. Inserted text is underlined, and deleted text is either struck through or shown in double enclosing brackets. Applicants aver that no new matter has been added and that all claimed elements are supported by Applicants' specification as originally filed.

1.-29. (Cancelled)

30. (Currently Amended) A computer-implemented method of controlling playback of digital content by a playback device, the method comprising:

receiving data ~~including~~ that includes the digital content, first data processing instructions, and second data processing instructions, the first data processing instructions being specific corresponding to the digital content and being executable by a computer language interpreter of the playback device to authenticate the second data processing instructions, the second data processing instructions being executable, ~~when executed by [[a]] the computer language interpreter of the playback device;~~ configuring the computer language interpreter to request an access to a memory of the playback device; and

executing the first data processing instructions by using the computer language interpreter, the first data processing instructions configuring the computer language interpreter to:

- obtain a cryptographic value of the second data processing instructions;
- determine an authenticity of the second data processing instructions by using the cryptographic value;
- based on the authenticity, performing a first operation, the first operation being selected from a first group consisting of:
 - inhibiting playback of at least a portion of the digital content, and
 - enabling the access by the computer language interpreter to the memory of the playback device, the access being performed by the computer language interpreter ~~during~~ pursuant to execution of the second data processing instructions.

31. (Previously Presented) The computer-implemented method of claim 30, wherein the first data processing instructions, in configuring the computer language interpreter to determine the authenticity, configure the computer language interpreter to perform a second operation selected from a second group consisting of:

comparing the cryptographic value to a reference value stored in the memory, and
verifying a digital signature corresponding to at least one of the first data processing instructions or the second data processing instructions.

32. (Previously Presented) The computer-implemented method of claim 30, wherein the receiving of the data includes receiving at least some of the data from a media drive or via a network.

33. (Previously Presented) The computer-implemented method of claim 30 further comprising storing information in the memory, the information representing at least one of:

a payment referencing the digital content,
a history of pay-per-view payments,
a counter value,
a duration of access,
a spending limit,
a pricing discount,
a permission level,
a privilege level,
a security policy,
a software update of the playback device,
third data processing instructions to obtain the software update,
a cryptographic key, or
a digital signature.

34. (Previously Presented) The computer-implemented method of claim 30, wherein the first data processing instructions, in configuring the computer language interpreter to inhibit the playback, configure the computer language interpreter to perform a third operation selected from a third group consisting of:

- preventing the playback,
- disabling a rendering of the portion of the digital content,
- communicating an error message,
- communicating a first request to receive authentication data,
- communicating a second request to initiate an upgrade of the playback device,
- disabling a decryption of the portion of the digital content, and
- restricting the playback to a reduced quality level less than a maximum quality level of the digital content.

35. (Currently Amended) An optical medium comprising:
- digital content;
- first data processing instructions ~~corresponding~~ specific to the digital content and
executable by a computer language interpreter of a playback device to authenticate
second data processing instructions; and
- the second data processing instructions, the second data processing instructions being
executable by the computer language interpreter of the playback device to request an
access to a memory of the playback device;
- the first data processing instructions, when executed by [[a]] the computer
language interpreter of a playback device, configuring the computer language
interpreter to:
- obtain a cryptographic value of the second data processing instructions;
- determine an authenticity of the second data processing instructions by
using the cryptographic value;
- based on the authenticity, perform a first operation, the first operation
being selected from a first group consisting of:
- inhibiting playback of at least a portion of the digital content, and
enabling an access by the computer language interpreter to a
memory of the playback device, the access being performed by
the computer language interpreter ~~during~~ pursuant to execution
of the second data processing instructions;
- the second data processing instructions, when executed by the computer language
interpreter of the playback device, configuring the computer language
interpreter to request the access to the memory of the playback device.

36. (Previously Presented) The optical medium of claim 35, wherein the first data processing instructions, in configuring the computer language interpreter to determine the authenticity, configure the computer language interpreter to perform a second operation selected from a second group consisting of:

- comparing the cryptographic value to a reference value stored in the memory; and
- verifying a digital signature corresponding to at least one of the first data processing instructions or the second data processing instructions.

37. (Previously Presented) The optical medium of claim 35, wherein the first data processing instructions, in configuring the computer language interpreter to inhibit the playback, configure the computer language interpreter to perform a third operation selected from a third group consisting of:

- preventing the playback,
- disabling a rendering of the portion of the digital content,
- communicating an error message,
- communicating a first request to receive authentication data,
- communicating a second request to initiate an upgrade of the playback device,
- disabling a decryption of the portion of the digital content, and
- restricting the playback to a reduced quality level less than a maximum quality level of the digital content.

38. (Currently Amended) An apparatus to control playback of digital content, the apparatus comprising:

a memory;

a computer language interpreter communicatively coupled to the memory; and

a media interface communicatively coupled to the computer language interpreter, the

media interface being configured to receive data ~~including~~ that includes the digital content, first data processing instructions, and second data processing instructions, the first data processing instructions being specific ~~corresponding~~ to the digital content and being executable by the computer language interpreter to authenticate the second data processing instructions, the second data processing instructions being executable; ~~when executed by the computer language interpreter, configuring the computer language interpreter~~ to request an access to the memory, the first data processing instructions, when executed by the computer language interpreter, configuring the computer language interpreter to:

obtain a cryptographic value of the second data processing instructions;

determine an authenticity of the second data processing instructions by using the cryptographic value;

based on the authenticity, perform a first operation selected from a first group consisting of:

inhibiting playback of at least a portion of the digital content, and

enabling the access by the computer language interpreter to the memory,

the access being performed by the computer language interpreter

during pursuant to execution of the second data processing instructions.

39. (Previously Presented) The apparatus of claim 38, wherein the media interface is to receive at least some of the data from a media drive or via a network.

40. (Currently Amended) A computer-implemented method of controlling a playback device, the method comprising:

receiving data ~~including~~ that includes digital content and first data processing instructions, the first data processing instructions being specific corresponding to the digital content and being executable by a computer language interpreter of the playback device to identify second data processing instructions that are executable by the playback device to affect playback of the digital content; and

executing the first data processing instructions by using ~~[[a]]~~ the computer language interpreter of the playback device, the first data processing instructions configuring the computer language interpreter to:

- determine a security risk of the playback device;
- identify the second data processing instructions as a software countermeasure associated with the security risk, the identifying being based on the security risk; and
- initiate an execution of the second data processing instructions ~~[[on]]~~ by the playback device to implement the software countermeasure associated with the security risk.

41. (Previously Presented) The computer-implemented method of claim 40, wherein the second data processing instructions include a specific instruction encoded as native code of the playback device.

42. (Previously Presented) The computer-implemented method of claim 40, wherein the first data processing instructions, when executed by the computer language interpreter, configure the computer language interpreter to determine an authenticity of the second data processing instructions.

43. (Previously Presented) The computer-implemented method of claim 40, wherein the first data processing instructions, in configuring the computer language interpreter to determine the security risk, configure the computer language interpreter to detect a presence of unauthorized software on the playback device.

44. (Previously Presented) The computer-implemented method of claim 40, wherein the first data processing instructions, when executed by the computer language interpreter, configure the computer language interpreter to initiate a reception of at least some of the second data processing instructions from a media drive or via a network.

45. (Previously Presented) The computer-implemented method of claim 40, wherein the second data processing instructions, when executed on the playback device, configure the playback device to modify at least some of the digital content with a forensic mark.

46. (Currently Amended) An optical medium comprising:
digital content; and
first data processing instructions specific corresponding to the digital content and
executable by a computer language interpreter of a playback device to identify second
data processing instructions that are executable by the playback device to affect
playback of the digital content, the first data processing instructions, when executed
by ~~[[a]]~~ the computer language interpreter of ~~[[a]]~~ the playback device, configuring
the computer language interpreter to:
determine a security risk of the playback device;
identify the second data processing instructions as a software countermeasure
associated with the security risk, the identifying being based on the security
risk; and
initiate execution of the second data processing instructions ~~[[on]]~~ by the
playback device to implement the software countermeasure associated with
the security risk.

47. (Previously Presented) The optical medium of claim 46, wherein the second data processing instructions include a specific instruction encoded as native code of the playback device.

48. (Previously Presented) The optical medium of claim 46, wherein the first data processing instructions, when executed by the computer language interpreter, configure the computer language interpreter to determine an authenticity of the second data processing instructions.

49. (Previously Presented) The optical medium of claim 46, wherein the first data processing instructions, in configuring the computer language interpreter to determine the security risk, configure the computer language interpreter to detect a presence of unauthorized software on the playback device.

50. (Previously Presented) The optical medium of claim 46, wherein the second data processing instructions, when executed on the playback device, configure the playback device to modify at least some of the digital content with a forensic mark.

-
51. (Currently Amended) An apparatus comprising:
- a media interface to receive data that includes digital content and first data processing instructions, the first data processing instructions being specific corresponding to the digital content and being executable by a computer language interpreter of the apparatus to identify second data processing instructions that are executable by the apparatus to affect playback of the digital content; and
- [[a]] the computer language interpreter, the computer language interpreter being communicatively coupled to the media interface, the computer language interpreter being configured to execute the first data processing instructions, the first data processing instructions, when executed by the computer language interpreter, configuring the computer language interpreter to:
- determine a security risk of the apparatus;
 - identify the second data processing instructions as a software countermeasure associated with the security risk, the identifying being based on the security risk; and
 - initiate an execution of the second data processing instructions [[on]] by the apparatus to implement the software countermeasure associated with the security risk.

52. (Currently Amended) A non-transitory machine-readable storage medium comprising a set of instructions that, when executed by one or more processors of a machine, cause the machine to perform operations comprising:

receiv[[e]]ing data ~~including~~ that includes digital content and first data processing instructions, the first data processing instructions being specific corresponding to the digital content and being executable by the one or more processors of the machine to identify second data processing instructions that are executable by the machine to affect playback of the digital content; and

execut[[e]]ing the first data processing instructions by using the one or more processors, the first data processing instructions configuring the one or more processors to:

determine a security risk of the machine;

identify the second data processing instructions as a software countermeasure associated with the security risk, the identifying being based on the security risk; and

initiate an execution of the second data processing instructions ~~[[on]]~~ by the machine to implement the software countermeasure associated with the security risk.

53. (Currently Amended) A system to control playback of digital content, the system comprising:

a memory;

means for receiving data ~~including~~ that includes the digital content, first data processing instructions, and second data processing instructions, the first data processing instructions being specific corresponding to the digital content and being executable to authenticate the second data processing instructions, the second data processing instructions being executable to request an access to ~~[[a]] the memory of a playback device;~~ and

means for executing the first data processing instructions, the first data processing instructions to:

obtain a cryptographic value of the second data processing instructions;
determine an authenticity of the second data processing instructions by using the cryptographic value;
based on the authenticity, perform an operation selected from a group consisting of:

inhibiting playback of at least a portion of the digital content, and
enabling the access to the memory of the playback device, the access
being performed ~~during~~ pursuant to execution of the second data processing instructions.